


FHC Floor Mounted Door Closers

FHC F900 Series Heavy-Duty Floor Mounted Door Closers With Backcheck

- 1300 Pound Weight Capacity
- Doors Up to 54" Wide
- Interchangeable Spindle Capabilities
- Adjustable Power Size 1-6
- Visual Level Bubble Assists During Install
- Includes Closer Body and Cement Case
- Spindle and Cover Sold Separately
- U.L. Listed
- Five Year Limited Warranty
- Can Be Set at 5 Pound Opening Force to Meet A.D.A. Requirements



FHC F900 SERIES HEAVY-DUTY FLOOR CLOSER

ITEM NO.	DESCRIPTION
F900H0FC	Hold Open 90-120 Degree Adjustable Spring
F900NH0FC	No Hold Open 180 Degree Adjustable Spring

Minimum order: 1 each.

CAUTION!



Door Closers Adjusted to Meet A.D.A. Requirements, Including those Certified to BHMA and ANSI Standard A156.4, May Not Provide Sufficient Power to Close and Latch Door.

FHC F900 SERIES FLOOR CLOSER COVER PLATES

ITEM NO.	FINISH
F900BSCP	Brushed Stainless
F900PSCP	Polished Stainless
F900PBCP	Polished Brass
F900MBCP	Matte Black

Minimum order: 1 each.

FHC Floor Mounted Tapered Type Spindles

- Fits F900 Series, FHC Brand, and dormakaba® Floor Closers
- Works On All FHC Door Rails and Patch Fittings
- Available in Seven Heights

ITEM NO.	COLLAR HEIGHT
3040S3	1/8" (3 mm)
3040S8	5/16" (8 mm)
3040S13	1/2" (13 mm)
3040S18	3/4" (18 mm)
3040S23	7/8" (22 mm)
3040S28	1-1/8" (28 mm)
3040S33	1-5/16" (33 mm)

Minimum order: 1 each.



Chat With FHC On Our Website to Get Real Time Expert Support from Knowledgeable Reps

Chat With Us!



dormakaba® is a registered trademark of dormakaba International Holding AG Aktiengesellschaft (AG) Joint Stock Company.

visit fhc-usa.com to search for

Door Closers



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC®
FRAMELESS HARDWARE COMPANY

FHC Floor Mounted Door Closers

Dorma® BTS80 Series Floor Mounted Door Closers

dormakaba

- For Doors Weighing Up to 660 Lbs.
54" Wide Interior, and 48" Wide Exterior
- Compact Closer Body
- U.L. Listed for Use with Fire Doors
- Available in A.D.A. and Spring Size 2
- Interchangeable Spindles
(Sold Separately See Page 81)
- Selectable Delayed Action
- Five Year Limited Warranty



DORMAKABA® BTS80 FLOOR MOUNTED DOOR CLOSERS


ITEM NO.	SPRING SIZE
BTS80BF	A.D.A. 8.5 Lb. With Cement Case
BTS80S2	Size 2 With Cement Case

Minimum order: 1 each.

BTS80 COVER PLATES

ITEM NO.	FINISH
BTS80CPPS	Polished Stainless
BTS80CPBS	Brushed Stainless
BTS80CPDU	Dark Bronze Anodized

Minimum order: 1 each.



Spindle Sold Separately
(See Page 81)



CAUTION!

Door Closers Adjusted to Meet A.D.A. Requirements, Including those Certified to BHMA and ANSI Standard A156.4, May Not Provide Sufficient Power to Close and Latch Door.

Dorma® BTS75V Series Floor Mounted Door Closers

dormakaba

- ANSI/BHMA Grade 1 Certified
- Adjustable Spring Size 1-4
- Standard and Barrier-Free A.D.A. Compliant Models Available
- For Single and Double-Acting Doors
- Mechanical Backcheck
- Compact Body, Perfect for Thin Slab Concrete Floors
- For Doors Weighing Up to 260 Lbs. and Up to 42" Wide
- Five Year Limited Warranty

DORMAKABA® BTS75V FLOOR MOUNTED DOOR CLOSERS


STANDARD ITEM NO.	BARRIER-FREE ITEM NO.	MODEL
BTS75VH090	BTS75VADJ90H0	90 Degree Hold Open
BTS75VH0105	---	105 Degree Hold Open
BTS75VNH0	BTS75VADJ90NH0	175 Degree No Hold Open

Minimum order: 1 each.

BTS75V COVER PLATES

ITEM NO.	FINISH
BTS75CPPS	Polished Stainless
BTS75CPBS	Brushed Stainless
BTS75CPDU	Dark Bronze Anodized

Minimum order: 1 each.



Spindle Sold Separately
(See Page 81)



CAUTION!

Door Closers Adjusted to Meet A.D.A. Requirements, Including those Certified to BHMA and ANSI Standard A156.4, May Not Provide Sufficient Power to Close and Latch Door.



dormakaba and DORMA are registered trademarks of dormakaba International Holding AG Aktiengesellschaft (AG) Joint Stock Company.

FHC | **ALUMINUM®**
STOREFRONTS & ENTRANCE SYSTEMS



visit fhc-usa.com to search for

Door Closers

Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Floor Mounted Door Closers

Rixson® 27 Series 3/4" Offset Hung
Floor Mounted Door Closers

- Single Acting and Handed
- Maximum Weight 450 Pounds
- Door Width Up to 48"
- Standard Top Pivot Included (#180)
- Built-In Positive Dead Stop
- Vertical Door Adjustment
- Rust-Proof Cement Case
- UL Listed
- Five Year Limited Warranty



LEFT HANDED CLOSER SHOWN

Each Closer Contains:

- 1 = Closer Body
- 1 = Cement Case
- 1 = Brushed Stainless Steel
Finish Cover Plate
- 1 = Bottom Arm
- 1 = #180 Top Offset Pivot

COVER PLATES

BARRIER-FREE ITEM NO.	DESCRIPTION	HANDING	FINISH
R27SLH90626	90 Degree Selective Hold Open	Left	Brushed Stainless Steel
R27SRH90626	90 Degree Selective Hold Open	Right	Brushed Stainless Steel
R27SLH105626	105 Degree Selective Hold Open	Left	Brushed Stainless Steel
R27SRH105626	105 Degree Selective Hold Open	Right	Brushed Stainless Steel

Minimum order: 1 each.

LEFT HANDED ITEM NO.	RIGHT HANDED ITEM NO.	FINISH
274750LBS	274750RBS	Brushed Stainless
274750LORB	274750RORB	Oil Rubbed Bronze

Minimum order: 1 each.

Rixson is a registered trademark of Yale Security Inc., an ASSA ABLOY Group Company.

visit fhc-usa.com to search for

Door Closers

Enter the Item Number or scan QR code with
your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com



FHC Floor Mounted Door Closers

Rixson® 28 Series Center-Hung Floor Mounted Door Closers

- Single Acting, Handed
- Exterior or Interior Doors
- Weight Up to 350 Pounds
- Arm Centering Adjustment
- Door Width Up to 48"
- Separate and Independent Valves for Closing Speed, Latch Speed, and Backcheck
- Rustproof Cement Case
- Built-In Positive Dead Stop
- Selective Hold Open
- Models for Patch Fittings, and 8.5 lb. Opening Force in Stock
- Works with R340SC Top Walking Beam Pivot Sold Separately (See Page 89)
- A.D.A. Compliant Models Available (RPH Series)
- Five Year Limited Warranty

Chat With FHC On Our Website
to Get Real Time Expert Support
from Knowledgeable Reps

Chat With Us!



CAUTION!

Door Closers Adjusted to Meet A.D.A. Requirements,
Including those Certified to BHMA and ANSI Standard A156.4,
May Not Provide Sufficient Power to Close and
Latch Door.

RIGHT HANDED CLOSER SHOWN

Each Closer Contains:

- 1 = Closer Body
- 1 = Cement Case
- 1 = Brushed Stainless Steel
Finish Cover Plate
- 1 = Bottom Arm
(Not Included With R328 Series)



ITEM NO.	DESCRIPTION	HANDING	FINISH
R28SLH90626	90 Degree Selective Hold Open	Left	Brushed Stainless Steel
R28SRH90626	90 Degree Selective Hold Open	Right	Brushed Stainless Steel
R28SLH105626	105 Degree Selective Hold Open	Left	Brushed Stainless Steel
R28SRH105626	105 Degree Selective Hold Open	Right	Brushed Stainless Steel
RPH28SLH90626	8.5 lb. Opening Force 90 Degree Selective Hold Open	Left	Brushed Stainless Steel
RPH28SRH90626	8.5 lb. Opening Force 90 Degree Selective Hold Open	Right	Brushed Stainless Steel
RPH28SLH105626	8.5 lb. Opening Force 105 Degree Selective Hold Open	Left	Brushed Stainless Steel
RPH28SRH105626	8.5 lb. Opening Force 105 Degree Selective Hold Open	Right	Brushed Stainless Steel
R328SLH90626	For Patch Fittings 90 Degree Selective Hold Open	Left	Brushed Stainless Steel
R328SRH90626	For Patch Fittings 90 Degree Selective Hold Open	Right	Brushed Stainless Steel
R328SLH105626	For Patch Fittings 105 Degree Selective Hold Open	Left	Brushed Stainless Steel
R328SRH105626	For Patch Fittings 105 Degree Selective Hold Open	Right	Brushed Stainless Steel

Minimum order: 1 each.

Rixson is a registered trademark of Yale Security Inc., an ASSA ABLOY Group Company.



visit fhc-usa.com to search for

Door Closers

Enter the Item Number or scan QR code with
your smartphone for complete product details

FHC Floor Mounted Door Closers

Rixson® H28 Heavy-Duty Center Hung Floor Mounted Door Closers

- Single Acting Handed
- Extra Heavy High Traffic Doors
- Weight Up to 1000 Pounds
- Door Width Up to 48"
- Exterior or Interior Doors
- Separate and Independent Valves for Closing Speed, Latch Speed, and Backcheck
- Cast Iron Cement Case
- Built-In Positive Dead Stop
- Works with RH340SC or RH345SC (Doors Taller Than 8'6") Top Walking Beam Pivots Sold Separately (See Page 89)
- Five Year Limited Warranty



RIGHT HANDED CLOSER SHOWN

Each Closer Contains:

- 1 = Closer Body
- 1 = Cast Iron Cement Case
- 1 = Satin Chrome Finish Cover Plate
- 1 = Bottom Side Load Arm 587 (Minimum 2-3/4" Backset)

Chat With FHC On Our Website
to Get Real Time Expert Support
from Knowledgeable Reps

Chat With Us!



ITEM NO.	DESCRIPTION	HANDING	FINISH
RH28SLH90626	Heavy-Duty 90 Degree Selective Hold Open	Left	Brushed Stainless Steel
RH28SRH90626	Heavy-Duty 90 Degree Selective Hold Open	Right	Brushed Stainless Steel
RH28SLH105626	Heavy-Duty 105 Degree Selective Hold Open	Left	Brushed Stainless Steel
RH28SRH105626	Heavy-Duty 105 Degree Selective Hold Open	Right	Brushed Stainless Steel

Minimum order: 1 each.

Rixson is a registered trademark of Yale Security Inc., an ASSA ABLOY Group Company.

visit fhc-usa.com to search for

Door Closers



Enter the Item Number or scan QR code with
your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC®
FRAMELESS HARDWARE COMPANY

FHC Floor Mounted Door Closers

Rixson® 28 Series Floor Closer Cover Plates

- Cover Plate for 28 Series Rixson® Floor Closers
- Handed Left or Right
- Allows Closer to Be Adjusted Without Removing Door
- Mounting Screws Included

LEFT HANDED ITEM NO.	RIGHT HANDED ITEM NO.	FINISH
284720LBS	284720RBS	Brushed Stainless
284720LORB	284720RORB	Oil Rubbed Bronze

Minimum order: 1 each.



Left Handed
Shown

Rixson® 28 Series Bottom Arm Complete With Alignment Package

- Bottom Arm for 28 Series Center-Hung Rixson® Floor Closers
- Complete with Alignment Package
- Satin Chrome and Dark Bronze Finishes Available
- Non-Handed
- Mounting Screws Included

ITEM NO.	FINISH
R28ARMSC	Satin Chrome
R28ARMDU	Dark Bronze

Minimum order: 1 each.



Rixson® 554 Series Bottom Arm With Mounting Hardware

- Non-Handed
- Works with 28 Series Rixson® Floor Closers
- For Center-Hung Applications
- Mounting Screws Included



ITEM NO. **R554ARM**
Minimum Order: 1 Each.

Rixson® Side-Load Arm

- Non-Handed for H28 Series Rixson® Closers
- Includes Arm Shim and Mounting Screws
- Painted Aluminum
- For 1-3/4" Thick Door



ITEM NO. **R587SLAP**
Minimum Order: 1 Each.

Rixson is a registered trademark of Yale Security Inc., an ASSA ABLOY Group Company.



visit fhc-usa.com to search for

Door Closers

Enter the Item Number or scan QR code with
your smartphone for complete product details