

PROFESSIONAL GRADE

NEW

FHC ALUMINUM®

Panic Exit Devices

Hardware and Accessories



- Concealed Vertical Rod and Rim Panics Available
- Designed for Use on Aluminum Framed, Wood, or Hollow Metal Doors
- Electrified Models Available
- Full Line of Accessories Offered

Chat With FHC On Our Website
to Get Real Time Expert Support
from Knowledgeable Reps

Chat With Us!



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with
your smartphone for complete product details

FHC Panic Exit Devices

FHC P1 Series Cross Bar Panic Exit Device

- Durable Construction with High-Quality Materials for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- Suitable for Use in Commercial, Institutional, and Industrial Settings
- Provides a Cost-Effective Solution for Emergency Egress.
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware



ITEM NO.	LENGTH	HANDING	FINISH
P1R42RHSA	42"	RHR/LH	Satin Anodized
P1R42RHREDU	42"	RHR/LH	Dark Bronze Anodized
P1R42LHSA	42"	LHR/RH	Satin Anodized
P1R42LHREDU	42"	LHR/RH	Dark Bronze Anodized


Minimum order: 1 each.



ITEM NO. **P1RSTR1KE**
Replacement Strike
Minimum Order: 1 Each.

FHC P1 Series Non-Handed Concealed Vertical Rod Panic Device

- Durable Construction with High-Quality Materials for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- Suitable for Use in Commercial, Institutional, and Industrial Settings
- Provides a Cost-Effective Solution for Emergency Egress.
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware
- Fits Standard 84" Tall Doors
- Can be Cut to Fit



ITEM NO.	LENGTH	FINISH
P1C42NHSA	42"	Satin Anodized
P1C42NHREDU	42"	Dark Bronze Anodized

Minimum order: 1 each.

visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC®

FHC Panic Exit Devices

FHC P2 Push Pad Non-Handed Rim Panic Exit Device

- Durable Construction for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware
- "C" or "S" Strike Options Available
- Field Sizeable and Non-Handed



36" RIM PANIC EXIT DEVICE

ITEM NO.	STRIKE TYPE	FINISH
P2RC36NHSA	C	Satin Anodized
P2RC36NH DU	C	Dark Bronze Anodized
P2RS36NHSA	S	Satin Anodized
P2RS36NH DU	S	Dark Bronze Anodized

Minimum order: 1 each.


48" RIM PANIC EXIT DEVICE

ITEM NO.	STRIKE TYPE	FINISH
P2RC48NHSA	C	Satin Anodized
P2RC48NH DU	C	Dark Bronze Anodized
P2RS48NHSA	S	Satin Anodized
P2RS48NH DU	S	Dark Bronze Anodized

Minimum order: 1 each.

FHC P2 Push Pad Non-Handed Rim Panic Exit Device With Cylinder Dogging

- Dogging is Provided by Keyed Cylinder (Included)
- Durable Construction for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware
- "C" or "S" Strike Options Available
- Field Sizeable and Non-Handed



Keyed Cylinder
(Included)



48" RIM PANIC EXIT DEVICE WITH CYLINDER DOGGING

ITEM NO.	LENGTH	STRIKE TYPE	FINISH
P2RC48NHCSA	48"	C	Satin Anodized
P2RC48NHCDU	48"	C	Dark Bronze Anodized
P2RS48NHCSA	48"	S	Satin Anodized
P2RS48NHCDU	48"	S	Dark Bronze Anodized

Minimum order: 1 each.

FHC P2 "C" Strike

- Surface Mount
- Screws and Shims Included



ITEM NO. **P2CSTR1KE**
Minimum Order: 1 Each.

FHC P2 "S" Strike

- Surface Mount
- Aluminum Finish
- Screws Included



ITEM NO. **P2SSTR1KE**
Minimum Order: 1 Each.



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Panic Exit Devices

FHC P2 Concealed Vertical Rod Panic Exit Device

- Durable Construction for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware



36" CVR PANIC EXIT DEVICE

ITEM NO.	HANDING	FINISH
P2C36LHRSA	LHR/RH	Satin Anodized
P2C36LHRDU	LHR/RH	Dark Bronze Anodized
P2C36RHRSA	RHR/LH	Satin Anodized
P2C36RHRDU	RHR/LH	Dark Bronze Anodized

Minimum order: 1 each.

48" CVR PANIC EXIT DEVICE

ITEM NO.	HANDING	FINISH
P2C48LHRSA	LHR/RH	Satin Anodized
P2C48LHRDU	LHR/RH	Dark Bronze Anodized
P2C48RHRSA	RHR/LH	Satin Anodized
P2C48RHRDU	RHR/LH	Dark Bronze Anodized

Minimum order: 1 each.

FHC P2 Concealed Vertical Rod Panic Exit Device With Cylinder Dogging

- Dogging is Provided by Keyed Cylinder (Included)
- Durable Construction for Long-Lasting Performance
- Smooth and Quiet Operation for Fast and Efficient Evacuation
- For Hollow Metal Single and Double Doors, UL Listed for Panic Exit Hardware



ITEM NO.	LENGTH	HANDING	FINISH
P2C48LHRCSA	48"	LHR/RH	Satin Anodized
P2C48LHRCDU	48"	LHR/RH	Dark Bronze Anodized
P2C48RHRCSA	48"	RHR/LH	Satin Anodized
P2C48RHRCDU	48"	RHR/LH	Dark Bronze Anodized

Minimum order: 1 each.

visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC® | 147

FHC Panic Exit Devices

FHC 1900 Series Rim Panic Exit Device

- Rim Type Narrow Stile Exit Device
- Non Handed
- For 1-3/4" Thick Doors and FHC Glass Gate Mounting Pads
- U.L. Listed
- Available in (2) Architectural Finishes
- Fits Doors and Gates Up to 48" Wide Can Be Trimmed to Size

7160 24V DC ELECTRIC STRIKE

ITEM NO.	FINISH
N1900A	Aluminum
N1900MB	Matte Black

Minimum order: 1 each.



FHC Trim For N1900A Exit Device

- Trim for N1900 Series Panic
- Available in (2) Architectural Finishes
- Works with SFH7 Mortise Housing
- Non-Handed and Reversible



ITEM NO.	FINISH
N604BS	Brushed Stainless
N604MB	Matte Black

Minimum order: 1 each

FHC Mortise Housing 7-Pin SM Format SFIC

- Allows Building Owners Quick and Easy Replacement Keying of Doors
- Used with FHC Herc-Door Rails, Locking Ladder Pulls, Center Locks and Other FHC Hardware
- SF1C02 or 1CKD Interchangeable Core to Be Purchased Separately
- Available In Three Architectural Finishes



ITEM NO.	FINISH
SFH7BS	Brushed Stainless
SFH7PS	Polished Stainless
SFH7DU	Dark Bronze Anodized
SFH7SA	Satin Anodized

Minimum order: 1 each

FHC Rim Cylinder Housing 7-Pin SM Format SFIC

- Used with FHC SF1C02 or 1CKD Interchangeable Core
- Replaceable with any 7-Pin Small Format Core



ITEM NO.	FINISH
SFH8BS	Brushed Stainless
SFH8PS	Polished Stainless
SFH8DU	Dark Bronze Anodized
SFH8SA	Satin Anodized

Minimum order: 1 each

FHC 7-Pin Small Format Interchangeable Core (SFIC) Keyed Different

- Use with FHC HERC-DOOR® Rails, Locking Ladder Pulls, Center Locks and Other FHC Hardware
- Control Key Allows Easy Replacement and Rekeying



ITEM NO. **1CKD**
Minimum Order: 1 Each.

FHC 7-Pin Key #2 Small Format Interchangeable Core (SFIC)

- Use with FHC HERC-DOOR® Rails, Locking Ladder Pulls, Center Locks and Other FHC Hardware
- Control Key Allows Easy Replacement and Rekeying
- Best "A" Keyway



ITEM NO. **SF1C02**
Minimum Order: 1 Each.



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Panic Exit Devices

FHC First Choice Concealed Vertical Rod Panics

- Fits 1-3/4" Thick Doors
- Install on Medium or Wide Stile Doors Only
- Non-Handed
- Dogging Hex Key Supplied
- Exterior Cylinder Sold Separately Item No. 8138KA (See Below)
- Lever Trim Available LT36 Series (See Below)
- Can Be Cut Down in the Field
- Available in Clear or Bronze Anodized Finishes



To electrify use
ITEM NO. **8260**
(See page 150)

PANIC FOR 36" DOOR ITEM NO.	PANIC FOR 42" DOOR ITEM NO.	PANIC FOR 48" DOOR ITEM NO.	FINISH
8114CVRCA	8125CVRCA	8126CVRCA	Clear Anodized
8114CVRAA	8125CVRAA	8126CVRAA	Bronze Anodized

Minimum order: 1 each.

FHC First Choice Rim Panics

- Fits 1-3/4" Thick Doors
- Install on Medium or Wide Stile Doors Only
- Non-Handed
- Dogging Hex Key Supplied
- Exterior Cylinder Sold Separately Item No. 8138KA (See Below)
- Lever Trim Available LT37 Series (See Below)
- Can Be Cut Down in the Field
- Available in Clear or Bronze Anodized Finishes



To electrify use
ITEM NO. **8260**
(See page 150)

PANIC FOR 36" DOOR ITEM NO.	PANIC FOR 42" DOOR ITEM NO.	PANIC FOR 48" DOOR ITEM NO.	FINISH
8115R1MCA	8127R1MCA	8128R1MCA	Clear Anodized
8115R1MAA	8127R1MAA	8128R1MAA	Bronze Anodized

Minimum order: 1 each.

FHC First Choice Lever Trim for Concealed Vertical Rod Panics

- Unrestricted Passage Function (M3)
- Handed Left or Right
- Steel Core Construction
- Mortise Cylinder Sold Separately Item No. 8136 (See Below)
- Available in Clear and Bronze Anodized Finishes



LEFT HANDED ITEM NO.	RIGHT HANDED ITEM NO.	FINISH
LT36LCA	LT36RCA	Clear Anodized
LT36LAA	LT36RAA	Bronze Anodized

Minimum order: 1 each.

FHC First Choice Lever Trim for Rim Panics

- Unrestricted Passage Function (M3)
- Handed Left or Right
- Steel Core Construction
- Mortise Cylinder Sold Separately Item No. 8136 (See Below)
- Available in Clear and Bronze Anodized Finishes



LEFT HANDED ITEM NO.	RIGHT HANDED ITEM NO.	FINISH
LT37LCA	LT37RCA	Clear Anodized
LT37LAA	LT37RAA	Bronze Anodized

Minimum order: 1 each.

FHC Rim Cylinder For Rim Panics

- Exterior Cylinder used on FHC Rim Panic and CVR Exit Device
- Available in Clear or Bronze Anodized Finishes
- Works with 81CVR and 81R1M Panics (See Above)



ITEM NO.	FINISH
8138KACA	Clear Anodized
8138KAAA	Bronze Anodized

Minimum order: 1 each.

visit fhc-usa.com to search for

Panics

Enter the Item Number or scan QR code with your smartphone for complete product details



FHC Standard Mortise Cylinder - Random Keyed

- Keyed Randomly
- Available in Clear or Bronze Anodized Finishes
- Works with LT36 and LT37 Lever Trim (See Above)



ITEM NO.	FINISH
8136CA	Clear Anodized
8136AA	Bronze Anodized

Minimum order: 1 each.

FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC® 149

FHC Panic Exit Devices

FHC First Choice "EL" Retraction Kit

- Retrofit Solenoid Driven Electric Latch Retraction
- Commercial Use Only
- Use with PSE1500 or PSE3000 Only



ITEM NO. **8260**
Minimum Order: 1 Each.

FHC First Choice "MEL" Retraction Kit

- Retrofit Kit Motor Driven Electronic Latch Retraction
- Residential or Commercial Use
- Use with PS MEL1500 For Single Door or with PS MEL2000 for Double Doors



ITEM NO. **8262**
Minimum Order: 1 Each.

FHC First Choice Power Supply

- Power Supply for Solenoid Driven Electric Latch Retraction
- 115VAC with Terminal Blocks for Easy Connection
- Use with 8260 Only



ITEM NO.	DESCRIPTION
PSE1500	For Single Door
PSE3000	For Double Doors

Minimum order: 1 each.

FHC First Choice Power Supply

- Power Supply for Motor Driven Electronic Latch Retraction
- 115VAC with Terminal Block for Easy Connection
- Output Rated at 1 AMP 24vDc
- Use with 8262 Only



ITEM NO.	DESCRIPTION
PS MEL1500	For Single Door
PS MEL2000	For Double Doors

Minimum order: 1 each.

FHC First Choice Power Transfer

- Designed to Conceal Wires From Door to Frame



ITEM NO. **8261EPT**
Minimum Order: 1 Each.

FHC First Choice Removable Mullion

- Provides Increased Security Between Pair of Doors with First Choice Rim Panics
- Max 84" Height Doors
- Can Be Cut Down in the Field
- Available in Clear or Bronze Anodized

ITEM NO.	FINISH
8129RMCA	Clear Anodized
8129RMAA	Bronze Anodized

Minimum order: 1 each.



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Panic Exit Devices

Adams Rite® 8600 Narrow Stile Concealed Vertical Rod Exit Devices

- UL Listed, ANSI/BHMA A156.3, Grade 1
- Used on 1-3/4" Thick Door
- Adams Rite® Patented Starwheel Latch Provides Higher Security for High Traffic Flow
- Accepts Standard 1-5/32" Diameter Rim Cylinder on Exterior
- Optional Exit Device Supplied with a Motorized Latch Retraction Kit
- Exit Device is Supplied with Standard Hex Key Dogging
- Non-Handed
- Available in Satin Anodized and Dark Bronze Finish



ADAMS RITE® 8600 NARROW STILE CONCEALED VERTICAL ROD

36" LENGTH ITEM NO.	42" LENGTH ITEM NO.	48" LENGTH ITEM NO.	FINISH
8636AL	8642AL	8648AL	Satin Anodized
8636DU	8642DU	8648DU	Bronze Anodized

Minimum order: 1 each.

ADAMS RITE® 8600 NARROW STILE CONCEALED VERTICAL ROD WITH MOTORIZED LATCH RETRACTION

ITEM NO.	FINISH	LENGTH
8636ALMLR	Satin Anodized	36"
8636DUMLR	Bronze Anodized	36"

Minimum order: 1 each.

Adams Rite® 8800 Narrow Stile Rim Exit Devices

- UL Listed, ANSI/BHMA A156.3, Grade 1
- Used on 1-3/4" Thick Door
- Designed to Fit Door Stiles as Narrow as 2"
- Adams Rite's Patented Starwheel Latch Provides Higher Security for High Traffic Flow
- Accepts Standard 1-5/32" Diameter Rim Cylinder on Exterior
- Optional Exit Device Supplied with a Motorized Latch Retraction Kit
- Used with 461205 and 4612180 Power Transfer
- Used with PSE1 Power supply
- Available in Satin and Bronze Anodized Finish



ADAMS RITE® 8800 NARROW STILE RIM EXIT DEVICE

36" LENGTH ITEM NO.	42" LENGTH ITEM NO.	48" LENGTH ITEM NO.	FINISH
880136AL	880142AL	880148AL	Satin Anodized
880236DU	880142DU	880148DU	Bronze Anodized

Minimum order: 1 each.

ADAMS RITE® 8800 NARROW STILE RIM EXIT DEVICE WITH MOTORIZED LATCH RETRACTION

ITEM NO.	FINISH	LENGTH
880136ALMLR	Satin Anodized	36"
880236DUMLR	Bronze Anodized	36"

Minimum order: 1 each.

Adams Rite® 8400 Mortise Exit Device

- UL Listed ANSI/BHMA A156.3, Grade 1
- Used on 1-3/4" Thick Door
- Adams Rite® Patented Starwheel Latch Provides Higher Security for High Traffic Flow
- Accepts Standard 1-5/32" Diameter Mortise Cylinder on Exterior
- 1-1/8" Backset
- Panics Handed Left or Right Hand
- Available in Satin and Bronze Anodized Finish



ADAMS RITE® 8400 MORTISE EXIT DEVICE

36" LENGTH ITEM NO.	42" LENGTH ITEM NO.	48" LENGTH ITEM NO.	HANDING	FINISH
8410L36AL	8410L42AL	8410L48AL	Left	Satin Anodized
8410L36DU	8410L42DU	8410L48DU	Left	Bronze Anodized
8410R36AL	8410R42AL	8410R48AL	Right	Satin Anodized
8410R36DU	8410R42DU	8410R48DU	Right	Bronze Anodized

Minimum order: 1 each.

Adams Rite is a Registered Trademark of Adams Rite Manufacturing Co., an Assa Abloy Group Company.

visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC®

FHC Panic Exit Devices

Adams Rite® Power Transfers

- Designed to Hide Wiring from Door to Frame
- Butt Hung, Geared Hinge or 3/4" Offset Pivot Applications Only



ITEM NO.	DESCRIPTION
4612105	105° Swing
4612180	180° Swing

Minimum order: 1 each.

Adams Rite® Tall Door Kit

- Kit for Doors Taller Than 66" Above Bar Height Up to 120"



ITEM NO. **8655TDK1T**
Minimum Order: 1 Each.

Adams Rite® Transformers and Rectifier



ITEM NO. **4603R**
2 Amp Rectifier



ITEM NO. **4605T**
Transformer Converts
120V AC to 12/24V AC



ITEM NO. **4606PT**
Plug In Transformer Converts
120V AC to 24V AC



ITEM NO. **290218PH**
P1E20 Horn Provides Audio
Indication When DC is Charged

Adams Rite® Power Supply

- Power Supply Used Only for 8000 and 3000 Series Adams Rite Panics
- Fail-Secure Response for Exit Devices During Complete Power Failure
- UL294 Listed
- 115V AC Input
- 24-26V DC Output Voltage
- MLR and LR Compatible



ITEM NO. **PSE1**
Minimum Order: 1 Each.

Adams Rite® Exterior Lever Trim Panics

- Provides Outside Activation of Doors with Any 8000/3000 Series Exit Device or Deadlatch
- Breakaway Clutch Mechanism
- Used with Standard 1-5/32" Diameter Mortise Cylinder

ITEM NO.	FINISH
3080SS	Satin Anodized
3080DU	Bronze Anodized

Minimum order: 1 each.



Adams Rite® Escutcheon Plate

- Used with 8600 Series Panics and 8138KA Rim Cylinders

ITEM NO.	FINISH
8650AL	Satin Anodized
8650DU	Bronze Anodized

Minimum order: 1 each.



Adams Rite® Top Strike for Concealed Vertical Rod

- Replacement Top Strike



ITEM NO. **310945S**
Minimum Order: 1 Each.

Adams Rite® 8400 Series End Cap

- Replacement End Cap Kit for 8400 Series
- Black Finish



ITEM NO. **8400ENDCAP**
Minimum Order: 1 Each.



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Panic Exit Devices

Von Duprin® 35 Series Concealed Vertical Rod Panic

- Designed to Fit Narrow, Medium, and Wide Stile
- Excellent for High Abuse Applications Such as Schools, Hospitals, and Government Facilities
- Smooth Mechanism Case
- The Quiet One® Technology
- Supplied with 338 Top Strike, 385A Bottom Strike, and Hex Dogging Key
- For Trim Options See Below
- Non-Handed



ITEM NO.	FINISH
3547AE0US26D	Satin Chrome
3547AE0US10B	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® 35 Series Rim Panic

- Designed to Fit Narrow, Medium, and Wide Stile
- Excellent for High Abuse Applications Such as Schools, Hospitals, and Government Facilities
- Smooth Mechanism Case
- Non-Handed
- The Quiet One® Technology
- Supplied with 1439 Roller Strike
- For Trim Options See Below



ITEM NO.	FINISH
35AE0US26D	Satin Chrome
35AE0313	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® 35 Series Cable Device Panic

- Panic Fits Door Stiles as Narrow as 2-1/8" Wide
- 3549A for Hollow Metal Single and Double Doors, UL Listed For Panic Exit Hardware
- Devices are ANSI A156.3 – 2008 (LBL Option 2014) Grade 1
- The Concealed Vertical Cable Device is Non-Handed
- For Trim Options See Below



ITEM NO.	FINISH
3549E0US26D	Satin Chrome
3549E0313	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® 360-L Series Exterior Lever Handle Trim

- Lever Trim is Handed
- Use Mortise Cylinder 20001626 or 20001613 (Sold Separately)
- Use with Von Duprin 35 Series Panic Only
- Available in Dark Bronze and Satin Anodized



ITEM NO.
20001626 or 20001613

Minimum Order: 1 Each.

ITEM NO.	DESCRIPTION	FINISH
360LUS26D	Left Handed	Satin Chrome
360LUS10B	Left Handed	Dark Bronze
360RUS26B	Right Handed	Satin Chrome
360RUS10B	Right Handed	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin is registered trademark of Allegion plc.

Von Duprin® 360-T Series Exterior Thumbturn Trim

- Non-Handed and is Field Reversible
- Use Mortise Cylinder 20001626 or 20001613 (Sold Separately)
- Use with Von Duprin 35 Series Panic Only
- Available in Dark Bronze and Satin Anodized



ITEM NO.
20001626 or 20001613

Minimum Order: 1 Each.

ITEM NO.	FINISH
360TUS26D	Satin Chrome
360TUS10B	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® 388NL Series Exterior Night Latch Trim

- Night Latch Function - Key Retracts Latchbolt
- Use Mortise Cylinder 20001626 or 20001613 (Sold Separately)
- Use with Von Duprin 35 Series Panic Only
- Available in Dark Bronze and Satin Anodized



ITEM NO.
20001626 or 20001613

Minimum Order: 1 Each.

ITEM NO.	FINISH
388US26D	Satin Chrome
388US10B	Dark Bronze Anodized

Minimum order: 1 each.



visit fhc-usa.com to search for

Panics



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Panic Exit Devices

Von Duprin® 98 Series Concealed Vertical Rod Panic

- Designed to Fit Wide Stile Door Only
- Non-Handed
- Excellent For High Traffic Applications Such as Schools, Hospitals, and Government Facilities
- Smooth Mechanism Case
- Top Rod Adjustable From 6'8" to 8'4"
- Supplied with 338 Top Strike, 385A Bottom Strike and Hex Dogging Key
- The Quiet One® Technology
- Optional Extension Rod for Doors up to 10' Available

ITEM NO. **EXTR0DK1T**
Optional Extension Rod
for Doors 8'-4" to 10'
Minimum Order: 1 Each.



ITEM NO.	FINISH
9847E0US26D	Satin Chrome
9847E0US10B	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® 98 Series Rim Panic

- Designed to Fit Wide Stile Door Only
- Smooth Mechanism Case
- Supplied with 229 Strike and Hex Dogging Key
- Excellent for High Traffic Applications Such as Schools, Hospitals, and Government Facilities
- Non-Handed
- The Quiet One® Technology



ITEM NO.	FINISH
98E0US26D	Satin Chrome
98E0US10B	Dark Bronze Anodized

Minimum order: 1 each.

Von Duprin® Power Transfer

- Transfers Electrical Power From a Door Frame to the Edge of a Swing Door
- Units are Completely Sealed When the Door is in the Closed Position
- 9" X 1-1/4" X 1-5/8" Housing Dimension
- UL Listed for Use on Fire Doors
- Ball and Socket Joint Construction Provides Cut and Pinch Protection for Wiring
- Built for Heavy Traffic Openings
- Ten 24 Gauge Wires, Up to 16 AMPS @ 24V DC



ITEM NO. **EPT10**
Minimum Order: 1 Each.

Von Duprin® Power Transfer

- Output Voltage 2A@ 12 or 24 VDC
- Input Voltage 120/240 VAC, 50/60 Hz, Universal Input
- Measurements 14"H x 12"W x 4"D
- 900-2RS: 2 Relay Option Board Capable of Individual or Sequential Operation for Single and Pair Door Applications



ITEM NO. **PS902**
Minimum Order: 1 Each.

Von Duprin® Request To Exit Switch Kit For Panics

- Used with Item No. MCK1T Modular Conversion Kit



ITEM NO. **RXK1T**
Minimum Order: 1 Each.

Von Duprin is registered trademark of Allegion plc.

visit fhc-usa.com to search for

Panics

Enter the Item Number or scan QR code with your smartphone for complete product details



Von Duprin® Modular Conversion Kit For Panics

- Used with Item No. RXK1T Request To Exit Switch



ITEM NO. **MCK1T**
Minimum Order: 1 Each.

Von Duprin® 4954 Series Removable Steel Mullion With Mounting Brackets

- For 1-3/4" Thick Doors
- 86" Length



ITEM NO. **495482DU**
Minimum Order: 1 Each.

FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC 155