

PROFESSIONAL GRADE

NEW

FHC Steincraft®

Access Control Handles

**FHC®****MANUFACTURING**DESIGNED & MANUFACTURED BY
FRAMELESS HARDWARE COMPANY

- Architect Approved Designs
- Popular Finishes
- UL and BHMA Certified
- Wide Selection of Exterior Handle Options
- Quick Fabrication Times
- Made in the U.S.A

STEINCRAFT®
ACCESS CONTROL HANDLES**ML100®**
MAGNALINKvisit fhc-usa.com to search forAccess Handles Enter the Item Number or scan QR code with
your smartphone for complete product details

FHC Steincraft® Access Control Handles

FHC Steincraft® Access Control Handles

FHC Steincraft® Panic Handles

- Glass Mount, Rail Mount Along With Wood and Metal Mounting Options Standard
- UL Certified
- New Innovative Anti-Finger Pinch Face Plate
- Six Standard Architectural Finishes Plus Custom Powder-Coat
- Award Winning Architect Approved Design
- Wide Selection of Exterior Handle Options
- Tubular Handle Designs Up to 10' Tall

STEINCRAFT®
ACCESS CONTROL HANDLES



FHC Steincraft® Dummy Handles

- Designed to Match FHC's Panic Handles, Deadbolt Handles and Electromagnetic Egress Handle Configurations
- Six Standard Architectural Finishes Plus Custom Powder-Coat
- Wide Selection of Exterior Handle Options
- Tubular Handle Designs Up to 10' Tall

FHC Steincraft® Deadbolt Handles

- Top and Bottom Locking Bolt Options
- Six Standard Architectural Finishes Plus Custom Powder-Coat
- Interchangeable Core Cylinders
- Easily Accessible Lock Location
- Matches Panic Handle Profiles and Design



FHC Steincraft® ML100 MagnaLink® Electromagnetic Egress Handles

- No Exposed Wire Loops, 100% Concealed
- New Industry First Magnetically Actuated Lock Device Design
- Glass Mount, Rail Mount, Along With Wood and Metal Mounting Options Standard
- Six Standard Architectural Finishes Plus Custom Powder-Coat



Chat With FHC On Our Website
to Get Real Time Expert Support
from Knowledgeable Reps

Chat With Us!



Available Finishes



BS
BRUSHED
STAINLESS



PS
POLISHED
STAINLESS



MB
MATTE
BLACK



ORB
OIL RUBBED
BRONZE



PB
POLISHED
BRASS



SB
SATIN
BRASS



PT
CUSTOM
POWDER-COAT

visit fhc-usa.com to search for


Access Handles




Enter the Item Number or scan QR code with
your smartphone for complete product details




MOST POPULAR CONFIGURATIONS




Panic Device HP100D
Shown



Panic Device HP100F
Shown



Panic Device HP100FS
Shown



Panic Device HP100A
Shown

FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC


FHC Aluminum® Framed, Wood & Metal Doors Panic Handle Devices

STEINCRAFT®
ACCESS CONTROL HANDLES

Operating Panic Handles on Interior Side of Door

FHC INTERIOR PANIC DOOR HANDLES Panic and Dummy Handles Options


- Designed for 1-3/4" Thick Doors
- 1-1/4" Diameter Tubing
- Can Be Used as Replacement for Older Panics
- Custom Sizes of Stock Finishes Ship Within Five to Seven Business Days
- Optional Keyed Access
- Optional Electric Strike
- Optional Exterior Fixed Handles
- ADA and NFPA Compliant Options



HP100 SERIES


Aluminum Frame Mount

(For Medium and Wide Stile Doors Only)



HP100 SERIES

Wood Door Mount



HP100 SERIES

Hollow Metal Door Mount

36" - 48"
Please
Refer to
Local Codes

FHC Exterior Push/Pull Handle Combinations for Panic and Dummy Handles




A Style
(Standard)



B Style



D Style



F Style



F-S Style




G Style



Any Exterior Fixed Pull Handle on this page can be used in combination with any Panic Device or Dummy Handle.



H Style



J Style



J-S Style



M Style



M-S Style



X Style



Z Style

Available Finishes



BS
BRUSHED
STAINLESS



PS
POLISHED
STAINLESS



MB
MATTE
BLACK



ORB
OIL RUBBED
BRONZE



PB
POLISHED
BRASS



SB
SATIN
BRASS



PT
CUSTOM
POWDER-COAT



visit fhc-usa.com to search for

Access Handles



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Steincraft® Access Control Handles

FHC Steincraft® Aluminum Door Panic Device Order Form

CUSTOMER INFORMATION

CONTACT NAME _____
 COMPANY NAME _____
 STREET ADDRESS _____
 CITY _____ STATE _____ ZIP _____
 ARCHITECT NAME _____

DATE _____
 PO # _____
 PHONE _____
 FAX _____
 EMAIL _____
 JOB NAME _____

PANIC HOUSING

☐ HP100 SERIES

SPECIFY HANDING

(Check Both for Pairs)

☐ 4 (LHR) ☐ 3 (RHR)

EXTERIOR HANDLE

☐ A ☐ B ☐ D ☐ F ☐ F-S

☐ G ☐ H ☐ J ☐ J-S

☐ M ☐ M-S ☐ X ☐ Z


PAIR OF DOORS _____ MARK # _____

SINGLE DOOR(S) _____

SWING 3 (RHR) _____ MARK # _____

SWING 4 (RHR) _____ MARK # _____

DUMMY HOUSING

☐ HPD100 SERIES


DOOR THICKNESS _____



TOP RAIL DESCRIPTION

SIZE _____

BOTTOM RAIL DESCRIPTION

SIZE _____

DOOR TYPE (Check One)

☐ MEDIUM STILE ☐ WIDE STILE

DISTANCE BETWEEN CENTERLINE OF CRASH BAR TO BOTTOM OF DOOR

☐ 36" A.D.A Keyed Cylinder Compliant Height

☐ 42" N.F.P.A 15 lb. 101 Compliant Height

☐ OTHER _____

NET DOOR SIZE

WIDTH _____ HEIGHT _____

STEINCRAFT®
 ACCESS CONTROL HANDLES

! IMPORTANT INFORMATION

JAMB CONDITION (Pivot Side Door)

Required If Jamb Conditions is Frame or Wall

☐ WALL☐ FRAME (Specify Width) _____☐ PIVOT DISTANCE INCREASED TO 3-1/2"

Note: When Adjacent Wall at 90 Degree.
 For A.D.A Requirement, Minimum
 37" Door Opening Required.

☐ FHC TO DECREASE HORIZONTAL DIMENSION**Note:** When Jamb is Wider Than 4".**FINISHES** (For Both Panic Device and Exterior Pull)☐ BRUSHED STAINLESS☐ POLISHED STAINLESS☐ MATTE BLACK (Powder Coat)☐ POWDER COAT FINISH (Specify) _____**STRIKE OPTIONS** (Check All That Applies)☐ MANUAL☐ ELECTRIC☐ Fail Safe

or

☐ Fail Secure☐ 12V

or

☐ 24V☐ AC

or

☐ DC**STRIKE FINISHES OPTIONS**☐ BRUSHED STAINLESS☐ POLISHED STAINLESS☐ MATTE BLACK (Powder Coat)☐ POWDER COAT FINISH (Specify) _____☐ OTHER _____visit fhc-usa.com to search for

Access Handles



Enter the Item Number or scan QR code with
 your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
 4361 Firestone Blvd. South Gate, CA 90280
 Toll Free: (888) 295-4531 | Direct: (323) 968-2031
 Fax: (323) 336-8307 | fhc-usa.com

FHC®

FHC Steincraft® Access Control Handles

FHC Glass Door Panic Handle Devices

STEINCRAFT®
ACCESS CONTROL HANDLES

Operating Panic Handles on Interior Side of Door


FHC INTERIOR PANIC DOOR HANDLES

Panic and Dummy Handles Options

- For 1/2" (12 mm), 5/8" (16 mm) or 3/4" (19 mm) Tempered Glass
- 1-1/4" Diameter Tubing
- For 9/16" (13.52 mm) to 13/16" (21.52 mm) Tempered Laminated Glass
- Can Be Used as Replacement for Older Panics
- Custom Sizes of Stock Finishes Ship Within Five to Seven Business Days
- Optional Keyed Access
- Optional Electric Strike
- Optional Exterior Fixed Handles
- ADA and NFPA Compliant Configurations
- Rail Mount and Glass Mount Options



ITEM NO. **HP100**
Panic Handles



ITEM NO. **DHP100**
Dummy Handles

Rail Mount Shown.
Glass Mount Option
Also Available.



When Doors exceed these recommended sizes, the designer should take into account the following factors:

- Volume of Daily Usage (Number of Anticipated Cycles)
- Deflection of Door Due to Wind and/or Stack Load Pressures
- Stability of Door Under Operation (How Much the Door Flexes When Pushed)

FHC Exterior Push/Pull Handle Combinations for Panic and Dummy Handles



A Style
(Standard)



B Style



D Style



F Style



F-S Style



G Style



HERC-DOOR®

US Patent No. 11,060,341 Other Patents Pending



H Style



J Style



J-S Style



M Style



M-S Style



X Style



Z Style



Any Exterior Fixed Pull Handle on this page can be used in combination with any Panic Device or Dummy Handle.

Available Finishes



BS
BRUSHED
STAINLESS



PS
POLISHED
STAINLESS



MB
MATTE
BLACK



ORB
OIL RUBBED
BRONZE



PB
POLISHED
BRASS



SB
SATIN
BRASS



PT
CUSTOM
POWDER-COAT



visit fhc-usa.com to search for

Access Handles



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Steincraft® Access Control Handles

FHC HP100 Glass Door Panic Handle

Technical Information

TYPICAL GLASS THICKNESS


1/2", 9/16", 5/8", 3/4" and 13/16"

PANIC HOUSING

- HP100 series

DOOR SWING CHART
☐ 4 (LHR) ☐ 3 (RHR)
DUMMY HOUSING

- DHP100 Series

**EXTERIOR HANDLE**
☐ A ☐ B ☐ D ☐ F ☐ F-S
☐ G ☐ H ☐ J ☐ J-S
☐ M ☐ M-S ☐ X ☐ Z
**TOP RAIL STYLES**FHC HERC-DOOR®
LOW PROFILE
- 2-1/2" Tapered Rail
- 2-1/2" Square Rail
FHC HERC-DOOR®
STANDARD PROFILE
- 4" Tapered Rail
- 4" Square Rail
FHC HERC-DOOR®
LOW PROFILE PATCH
- 2-1/2" Tapered Rail
- 2-1/2" Square Rail
FHC HERC-DOOR®
PATCH PROFILE
- 4" Tapered Rail
- 4" Square Rail
NORTH AMERICAN PATCH


- PF201 Top Patch

BOTTOM RAIL STYLESFHC HERC-DOOR®
LOW PROFILE
- 2-1/2" Tapered Rail
- 2-1/2" Square Rail
FHC HERC-DOOR®
STANDARD PROFILE
- 4" Tapered Rail - 6" Square Rail
- 4" Square Rail - 10" Square Rail
FHC HERC-DOOR®
LOW PROFILE PATCH
- 2-1/2" Tapered Rail
- 2-1/2" Square Rail
FHC HERC-DOOR®
PATCH PROFILE
- 4" Tapered Rail
- 4" Square Rail
NORTH AMERICAN PATCH


- PF201 Bottom Patch

STRIKE OPTIONS
- Manual or Electric
- Fail Safe or Fail Secure
- 12V or 24V
- AC or DC
STRIKE FINISHES OPTIONS
- Brushed Stainless
- Polished Stainless
- Matte Black (Powder Coat)
- Oil Rubbed Bronze
- Polished Brass
- Satin Brass
- Powder Coat Finish (Specify)
FINISHES

(For Both Panic Device and Exterior Pull)

- Brushed Stainless
- Polished Stainless
- Matte Black (Powder Coat)
- Oil Rubbed Bronze
- Polished Brass
- Satin Brass
- Powder Coat Finish (Specify)
**MAXIMUM DOOR HEIGHTS**

Exterior - 96" for 1/2" Glass Thickness
 - 102" for 3/4" Glass Thickness
 Interior - 102" or 1/2" Glass Thickness
 - 108" for 3/4" Glass Thickness
 Exception - When Using "F" Style Exterior Handle
 - 108" for either 1/2" or 3/4" Glass Thickness

TYPICAL GLASS DOOR TYPES**IMPORTANT INFORMATION****JAMB CONDITION (Pivot Side Door)**

Required If Jamb Condition is Frame or Wall

☐ SIDELITES ☐ WALL☐ FRAME (Specify Width) _____☐ PIVOT DISTANCE INCREASED TO 3-1/2"

Note: When Adjacent Wall at 90 Degree.
 For A.D.A Requirement, Minimum
 37" Door Opening Required.

☐ FHC TO DECREASE HORIZONTAL DIMENSION**Note:** When Jamb is Wider Than 4".**STANDARD DISTANCE BETWEEN CENTERLINE OF CRASH BAR TO BOTTOM OF DOOR**
- 36" A.D.A Keyed Cylinder Compliant Height
- 42" N.F.P.A 15 lb. 101 Compliant Height
visit fhc-usa.com to search for

Access Handles



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
 4361 Firestone Blvd. South Gate, CA 90280
 Toll Free: (888) 295-4531 | Direct: (323) 968-2031
 Fax: (323) 336-8307 | fhc-usa.com

FHC®

FHC Steincraft® Access Control Handles


FHC DBP100 Deadbolt Handles

- Designed For Mounting to Tempered Glass, Wood, Metal, and Framed Aluminum Doors
- Large Section of Interior and Exterior Handle Configurations
- Deadbolt Top or Bottom Latch Standard, Roller Top Bolt Latch is Also Available for Electric Strike Applications
- Multiple Architectural Finishes Available, Custom Finishes are also Available
- Made to Order Using FHC's Quick Fab Manufacturing Facility
- Optional Keyed Access
- Optional Manual Strike or Electric Strike Latching


STEINCRAFT®
ACCESS CONTROL HANDLES



FHC DBP100 Deadbolt Handle Shown Mounting to Various Door Styles



FHC Interior Deadbolt Handle Configurations Options



visit fhc-usa.com to search for

Access Handles

Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Steincraft® Access Control Handles

FHC Deadbolt Handles



STANDARD
Top of Deadbolt
With Bolt Latch Option




OPTION
Top of Deadbolt
With Rolling Bolt Latch Option



OPTION
Keyed Access
Cylinder and Thumbturn

FHC Exterior Push/Pull Handle Combinations for Deadbolt Handles



A Style
(Standard)



B Style



D Style



F Style




F-S Style



G Style



Any Exterior Fixed Pull Handle on this page can be used in combination with any Panic Device or Dummy Handle.



H Style



J Style



J-S Style



M Style



M-S Style



X Style



No Exterior Handle Option

Z Style

Available Finishes



BS
BRUSHED
STAINLESS



PS
POLISHED
STAINLESS



MB
MATTE
BLACK



ORB
OIL RUBBED
BRONZE



PB
POLISHED
BRASS



SB
SATIN
BRASS



PT
CUSTOM
POWDER-COAT

visit fhc-usa.com to search for

Access Handles



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | fhc-usa.com

FHC